L Number	Hits	Search Text	DB	Time stamp
-	7	slam$dunk.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 09:21
-	1	mathon-john$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 09:21
-	2	ananthanarayanan-kannan$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 09:22
-	1	dattatri-kayshave$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 09:22
-	0	gopan-ganesan$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 09:22
-	2	gopal-ganesan$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 09:23
-	2	maheshwari-rajiv$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 09:23
-	2	menna-randy$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 09:23
-	8	rengarajan-tiru$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 09:24
-	1	rightmyer-robert$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 09:24
-	1	sankaralingam-kasi$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 09:25
-	3	srinivasan-andre$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 09:40
-	7782	(parallel or multiple or different or separate) near (path or link or channel) and ((duplicate or copy or two) near (message or data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 09:59
-	369	(parallel or multiple or different or separate) near (path or link or channel) and ((transmi$ or send$) near (duplicate or copy or two) near (message or data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 10:01

-	(26)	(parallel or multiple or different or separate) near (path or link or channel) and ((transmi$ or send$) near (duplicate or copy or two) near (message or data)) and (track$ near (message or data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 10:11
-	27349	(track$ near (message or data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 10:12
-	161	(track$ near (message or data)) same (parallel or multiple or different or separate) near (path or link or channel)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 10:12
-	(131)	(track$ near (message or data)) same (parallel or multiple or different or separate) near (path or link or channel) and @ad<20000414	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 10:25
-	308	(track$ near (message or data)) and (709/201,206,218.ccls. 705/26,28-29,40.ccls.)	USPAT; US-PGPUB	2004/04/19 10:16
-	135	(track$ near (message or data)) and (709/201,206,218.ccls. 705/26,28-29,40.ccls.) and @ad<20000414	USPAT; US-PGPUB	2004/04/19 10:16
-	6816	(track$ near (message or data)) and ((deliver$ or send$ or transmi$) near (message or data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 10:27
-	(13)	(reliable near (data or message) near deliver$) and ((parallel or multiple or different or separate) near (path or link or channel)) and ((duplicate or copy or two) near (message or data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 11:06
-	194	reliable near (data or message) near deliver$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 11:05
-	181	(reliable near (data or message) near deliver$) not ((reliable near (data or message) near deliver$) and ((parallel or multiple or different or separate) near (path or link or channel)) and ((duplicate or copy or two) near (message or data)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 11:05
-	(83)	(reliable near (data or message) near deliver$) and ((duplicate or copy or second) near (message or data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 11:23
-	(4)	transmit$ near data near (parallel or different) near communication near (path or link or backbone)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 11:28
-	(17)	transmit$ near data near (parallel or different) near (path or link or backbone)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 11:28
-	(43)	((simultaneous or synchronous) near transmission) and (reliable near delivery)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 12:44
-	6875	redundant near (message or data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 12:45

-	255	(transmi$ or send$) near redundant near (message or data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 12:46
-	151	(transmi$ or send$) near redundant near (message or data) and @ad<20000414	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/19 15:17
-	1	xml near5 envelope and (@ad<20000414 or @prad<20000414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 16:41
-	9699	((replica$4 or duplicat$4 or copy$4 or mirror$) near6 (message or email or e-mail or electronic adj mail))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 16:48
-	138142	(transmit$ or send$) near4 (message or email or e-mail or mail or electronic adj mail)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 16:49
-	600526	(two or multiple or plural$ or dual of duplicate or parallel) near5 (path or link or route or channel)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 16:50
-	2302	((transmit$ or send$) near4 (message or email or e-mail or mail or electronic adj mail)) with ((two or multiple or plural$ or dual of duplicate or parallel) near5 (path or link or route or channel)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/20 16:50
-	52	(((replica$4 or duplicat$4 or copy$4 or mirror$) near6 (message or email or e-mail or electronic adj mail))) same (((transmit$ or send$) near4 (message or email or e-mail or mail or electronic adj mail)) with ((two or multiple or plural$ or dual of duplicate or parallel) near5 (path or link or route or channel)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 09:54
-	38	((((replica$4 or duplicat$4 or copy$4 or mirror$) near6 (message or email or e-mail or electronic adj mail))) same (((transmit$ or send$) near4 (message or email or e-mail or mail or electronic adj mail)) with ((two or multiple or plural$ or dual of duplicate or parallel) near5 (path or link or route or channel)))) and (@ad<20000414 or @prad<20000414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 13:59
-	9878	(archive or datastore or database or data adj store) with (router or node)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 09:59
-	4272	((transmit$ or send$) near4 (message or email or e-mail or mail or electronic adj mail)) and (archive or datastore or database or data adj store) with (router or node)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 10:00
-	2290	((transmit$ or send$) near4 (message or email or e-mail or mail or electronic adj mail)) and (archive or datastore or database or data adj store) with (router or node) and (@ad<20000414 or @prad<20000414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 10:00

-	134	(((transmit$ or send$) near4 (message or email or e-mail or mail or electronic adj mail)) with ((two or multiple or plural$ or dual of duplicate or parallel) near5 (path or link or route or channel))) and (archive or datastore or database or data adj store) with (router or node)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 10:01
-	(73)	(((transmit$ or send$) near4 (message or email or e-mail or mail or electronic adj mail)) with ((two or multiple or plural$ or dual of duplicate or parallel) near5 (path or link or route or channel))) and (archive or datastore or database or data adj store) with (router or node) and (@ad<20000414 or @prad<20000414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 10:10
-	635	(archive or datastore or database or data adj store) with (router or node) with (message or email or e-mail or electronic adj mail) and (@ad<20000414 or @prad<20000414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 10:10
-	(19)	(((transmit$ or send$) near4 (message or email or e-mail or mail or electronic adj mail)) with ((two or multiple or plural$ or dual of duplicate or parallel) near5 (path or link or route or channel))) and ((message or email or e-mail or electronic adj mail) with (archive or datastore or database or data adj store) with (router or node)) and (@ad<20000414 or @prad<20000414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 10:51
-	2290	(((transmit$ or send$) near4 (message or email or e-mail or mail or electronic adj mail)) and (archive or datastore or database or data adj store) with (router or node)) and (@ad<20000414 or @prad<20000414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 10:52
-	2238	((transmit$ or send$) near4 message) and ((archive or datastore or database or data adj store) with (router or node)) and (@ad<20000414 or @prad<20000414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 10:54
-	(59)	((transmit$ or send$) near4 message) and ((archive or datastore or database or data adj store) with (router or node)) and (@ad<20000414 or @prad<20000414) and xml	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 10:54
-	(43)	((transmit$ or send$) near4 message) and ((archive or datastore or database or data adj store) with (router or node)) and (@ad<20000414 or @prad<20000414) and xml and api	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 11:36
-	(13)	xml adj envelope and message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 13:31
-	142	((router or switch or node) near5 (stor$4 or archiv$ or send$) near5 (message or email or e-mail or electronic adj mail) near5 (archive or database or repository or datastore or data adj store)) and (@ad<20000414 or @prad<20000414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 13:50
-	(60)	(switch or node or router) near archiv$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 09:54
-	(24)	(switch or node or router) near (data adj store) and (@ad<20000414 and @prad<20000414)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/22 10:43

| - | (95) | (xml with message) and (@ad<20000414 or @prad<20000414) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/04/22 11:07 |
| - | (6) | ((business adj to adj business) or b2b) and (api or (application adj program adj interface)) and (@ad<20000414 or @prad<20000414) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/04/22 13:52 |